

180- 10071150
Material Safety Data Sheet



Niagara National
2135 Hills Avenue, NW
Atlanta, GA 30318

Section 1. Chemical Product and Company Identification

Product name MAGNA BRITE
Product use Liquid Concentrated Acid Cleaner
Product code V002
Date of issue 09/23/10 **Supersedes**

Emergency Telephone Numbers

For MSDS Information:
Compliance Services 404-603-7903

For Medical Emergency
(877) 541-2016 Toll Free - All Calls Recorded

For Transportation Emergency
CHEMTREC: (800) 424-9300 - All Calls Recorded
In the District of Columbia (202) 483-7616

Prepared By

Compliance Services
1420 Scaboard Industrial Blvd.
Atlanta, GA 30318

Printing date: 10/08/12

1



MUTUAL WHEEL CO
2345 4TH AVE
R ENGSTRON
MOLINE IL 61265

Section 2. Hazards Identification

Emergency overview

DANGER! POISON

CAUSES EYE, SKIN AND MUCOUS MEMBRANE BURNS.
HARMFUL OR FATAL IF SWALLOWED. HARMFUL IF INHALED
OR ABSORBED THROUGH SKIN.

*Hazard Determination System (HDS): Health, Flammability, Reactivity

3 0 0

NOTE: MSDS data pertains to the product as delivered in the original shipping container(s). Risk of adverse effects are lessened by following all prescribed safety precautions, including the use of proper personal protective equipment.

Acute Effects

Routes of Entry

Dermal contact. Eye contact. Inhalation. Ingestion.

Eyes

Causes eye burns. Direct contact with the eyes can cause irreversible damage, including blindness.

Skin

Causes skin burns. Skin contact can produce inflammation and blistering. The amount of tissue damage depends on length of contact. Contact results in immediate skin absorption which may cause hypocalcemia (calcium loss) This effect may be delayed for several hours after exposure. Severe over-exposure by absorption can result in death. Get immediate medical attention.

Inhalation

Avoid breathing vapors, spray or mists. Vapors and aerosol can produce mucous membrane, nose and throat irritation. Exposure can cause lung irritation, chest pain and edema, which may be fatal.

Ingestion

May be fatal if swallowed. May cause burns to mouth, throat and stomach. May cause impaired kidney function..

Chronic effects

Contains material that can cause target organ damage. Repeated or prolonged exposure to the substance can produce kidney damage. Repeated or prolonged contact with spray or mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection. Repeated skin exposure can produce local skin destruction or dermatitis. Contains material which may cause damage to the following organs: blood, kidneys, liver, upper respiratory tract, skin, eyes, central nervous system (CNS).

Carcinogenicity

Ingredients: Not listed as carcinogen by OSHA, NTP or IARC.

Product/ingredient name

ACGIH IARC EPA NIOSH NTP OSHA

None.

Additional Information: See Toxicological Information (Section 11)

Section 3. Composition/Information on Ingredients

Name of Hazardous Ingredients	CAS number	% by Weight
HYDROFLUORIC ACID ; hydrogen fluoride; hydrofluoride	7664-39-3	10 - 20
SULFURIC ACID; oil of vitriol	7664-93-9	5 - 15
NONYLPHENOXY POLY(ETHYLENEOXY) ETHANOL - npe; poly(oxy-1,2-ethanediy) alpha-(nonylphenyl)-omega-hydroxy	9016-45-9	1 - 5

Section 4. First Aid Measures

Eye Contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention immediately.
Skin Contact	Get medical attention immediately. Flush affected skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing or wear gloves. Continue to rinse for at least 10 minutes. Wash clothing before reuse. Get immediate medical attention while applying and massaging 2.5% calcium gluconate gel, or while soaking skin with 0.13% zephiran chloride solution.
Inhalation	Move exposed person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
Ingestion	Get medical attention immediately. Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If affected person is conscious, give plenty of water to drink.

Section 5. Fire Fighting Measures

National Fire Protection Association (U.S.A.)



Flash Point	None.
Flammable Limits	Not applicable.
Flammability	Non-combustible.
Fire hazard	In a fire or if heated, a pressure increase will occur and the container may burst. May emit toxic fumes under fire conditions.
Fire-Fighting Procedures	Use an extinguishing agent suitable for the surrounding fire. Fire-fighters should wear appropriate protective equipment. Do not release runoff from fire to drains or watercourses.

Section 6. Accidental Release Measures

Spill Clean up	Put on appropriate personal protective equipment (see section 8). Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
-----------------------	---

Section 7. Handling and Storage

Handling	Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Empty containers retain product residue and can be hazardous. Do not reuse container. Wash thoroughly after handling. Observe label precautions.
Storage	Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Store between the following temperatures: 40°F - 120°F (4.4°C - 49°C). Keep container tightly closed and sealed until ready for use. Do not store in unlabeled containers. Keep out of the reach of children.

Section 8. Exposure Controls/Personal Protection

Product name	Exposure limits
HYDROFLUORIC ACID ; hydrogen fluoride; hydrofluoride	ACGIH TLV (United States). TWA: 0.5 ppm 8 hour(s). CEIL: 2 ppm OSHA PEL (United States). TWA: 3 ppm 8 hour(s). ACGIH/OSHA (United States). STEL: 6 ppm 15 minute(s).
SULFURIC ACID; oil of vitriol	ACGIH TLV (United States). TWA: 0.2 mg/m ³ 8 hour(s). OSHA PEL (United States). TWA: 1 mg/m ³ 8 hour(s). Form: Mist

Personal Protective Equipment (PPE)

Eyes	Splash goggles. Face shield.
Body	Wear appropriate protective clothing to prevent skin contact. Impervious gloves. Chemical resistant boots. Chemical-resistant protective suit.



Respiratory Do not breathe vapor or spray. Use with adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective occupational exposure limits. Wear appropriate respirator when ventilation is inadequate.

Section 9. Physical and Chemical Properties

Physical State	Liquid.	Color	Clear.
pH	< 3.0	Odor	Mild. [Slight]
Boiling Point	104.44°C (220°F)	Vapor Pressure	Not determined.
Specific Gravity	1.1	Vapor Density	Not determined.
Solubility	Easily soluble in the following materials: cold water and hot water.	Evaporation Rate 1 (Water = 1)	
		VOC (Consumer)	0%

Section 10. Stability and Reactivity

Stability and Reactivity The product is stable.

Incompatibility Reactive or incompatible with the following materials: oxidizing materials and alkalis.

Hazardous Polymerization Will not occur.

Hazardous Decomposition Products May emit toxic fumes under fire conditions. Hydrogen fluoride (HF), sulfur oxides (SO₂, SO₃ etc.)

Section 11. Toxicological Information

Acute Toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Hydrofluoric acid	LC50 Inhalation Vapor	Rat	1276 ppm	1 hours
Sulfuric Acid	LC50 Inhalation Vapor	Mouse	160 mg/m ³	4 hours
	LC50 Inhalation Vapor	Rat	255 mg/m ³	4 hours
	LD50 Oral	Rat	2140 mg/kg	-
Nonylphenoxypoly(Ethyleneoxy)Ethanol	LD50 Dermal	Rabbit	2000 mg/kg	-
	LD50 Oral	Rat	3310 mg/kg	-

Section 12. Ecological Information

Environmental Effects Not available.

Aquatic Ecotoxicity

Product/ingredient name	Test	Result	Species	Exposure
Sulfuric Acid	-	Acute LC50 10 ppm	Fish	96 hours


Section 13. Disposal Considerations

Waste Information

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities for additional information.

Waste Stream Code: D002
 Classification: - [Corrosive. Hazardous waste.]
 Origin: - [Hazardous waste Regulation]

Section 14. Transport Information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label
DOT Classification	2922	Corrosive liquids, poisonous, n.o.s. (Hydrofluoric acid, Sulfuric Acid)	8 (6.1)	II	
IMDG Class	Not determined.				

NOTE: DOT classification applies to most package sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment.

PG* : Packing group

Section 15. Regulatory Information**U.S. Federal Regulations**

SARA 313 toxic chemical notification and release reporting:

Product name

Hydrofluoric acid

Clean Water Act (CWA) 307: No products were found.

Clean Water Act (CWA) 311: Hydrofluoric acid; Sulfuric Acid

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

All Components of this product are listed or exempt from listing on TSCA Inventory.

State Regulations

California Prop 65 No products were found.

Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.